

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/8

Solitaire investment

Revision 0
Revision date 2018-06-01

SECTION 1: Identification of the substance/mixture and of the compar	ny/undertaking
--	----------------

1.1. Product identifier

Product name Solitaire investment

Product code Solitaire investment 060118 C222

1.2. Relevant identified uses of the substance or mixture and uses advised against

Description Foundry material.

1.3. Details of the supplier of the safety data sheet

Company Ransom & Randolph

Address 3535 Briarfield Boulevard, PO Box 1570

Maumee, Ohio 43537 USA

Web www.ransom-randolph.com

 Telephone
 +1 (419) 865-9497

 Fax
 +1 (419) 865-9997

 Email
 RR.SDS@dentsply.com

Email address of the RR.SDS@dentsply.com

RR.SDS@dentsply.com

RR.SDS@dentsply.com

1.4. Emergency telephone number

Emergency telephone number USA +1 419 865 9497

Company Ransom & Randolph Co.

07:30 to 16:30 (Eastern Std. / GMT minus 5)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - ECRepr. 1B: H360FD; STOT RE 1: H372; **1272/2008**

2.2. Label elements

Hazard pictograms



Signal Word

Hazard Statement

Danger

Repr. 1B: H360FD - May damage fertility. May damage the unborn child.

STOT RE 1: H372 - Causes damage to organs (lungs) through prolonged or repeated exposure

inhalation.

Revision 0 Revision date 2018-06-01

2.2. Label elements

Precautionary Statement:	P201 - Obtain special instructions before use.
Prevention	P202 - Do not handle until all safety precautions have been read and understood.
	P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
	P264 - Wash thoroughly after handling.
	P270 - Do no eat, drink or smoke when using this product.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P308+P313 - IF exposed or concerned: Get medical advice/attention.
Response	P314 - Get medical advice/attention if you feel unwell.
Precautionary Statement:	P405 - Store locked up.
Storage	
Precautionary Statement:	P501 - Dispose of contents/container to local and national regulations
Disposal	
2.3. Other hazards	
Other hazards	Product contains respirable crystalline silica (RCS).

Not applicable. PBT and vPvB assessment.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Silica (cristobalite)		14464-46-1	238-455-4		30 - 40%	STOT RE 1: H372;
Quartz		14808-60-7	238-878-4		30 - 40%	STOT RE 1: H372;
Calcium sulfate (Plaster of Paris)		26499-65-0			20 - 30%	
boric acid	005-007-00-2	10043-35-3	233-139-2		0.5 - 1%	Repr. 1B: H360FD;

Further information

Full text for all Risk Phrases mentioned in this section are displayed in Section 16.

Quartz "fine fraction" >= 10 % w/w / CAS 14808-60-7, EC No 238-878-4 / STOT RE1: H372.

Silica (Cristobalite) "fine fraction" >= 10 % w/w / CAS 14464-46-1, EC No 238-455-4 / STOT RE1: H372.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
Skin contact	Wash with soap and water.
Ingestion	Drink 1 to 2 glasses of water. DO NOT INDUCE VOMITING.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system.
Eye contact	May cause irritation to eyes.
Skin contact	May cause irritation to skin.

Revision 0 Revision date 2018-06-01


4.2. Most important symptoms a	nd effects, both acute and delayed	
Ingestion	May cause irritation to mucous membranes.	
4.3. Indication of any immediate	medical attention and special treatment needed	
Inhalation	Seek medical attention if irritation or symptoms persist.	
Eye contact	Seek medical attention if irritation or symptoms persist.	
Skin contact	Seek medical attention if irritation or symptoms persist.	
Ingestion	Seek medical attention if irritation or symptoms persist.	
SECTION 5: Firefighting mea	asures	
5.1. Extinguishing media		
	Use extinguishing media appropriate to the surrounding fire conditions.	
5.2. Special hazards arising from	n the substance or mixture	
	Burning produces irritating, toxic and obnoxious fumes.	
5.3. Advice for firefighters		
	Self-contained breathing apparatus. Wear suitable protective clothing.	
SECTION 6: Accidental relea	ase measures	
6.1. Personal precautions, prote	ctive equipment and emergency procedures	
	Avoid formation of dust. Wear suitable respiratory equipment when necessary.	
6.2. Environmental precautions		
	No environmental requirements.	
6.3. Methods and material for co	ntainment and cleaning up	
	Avoid raising dust. Clean the area using a vacuum cleaner. Transfer to suitable, labelled container.	
6.4. Reference to other sections		
	See section [2, 8 & 13] for further information.	
SECTION 7: Handling and st	torage	
7.1. Precautions for safe handlin	g	
	Ensure adequate ventilation of the working area. Avoid formation of dust. In case of insufficient ventilation, wear suitable respiratory equipment.	
	Do not eat, drink or smoke in areas where this product is used or stored. Wash hands after handling the product.	
7.2. Conditions for safe storage,	including any incompatibilities	
	Keep containers tightly closed.	
7.3. Specific end use(s)		
	Foundry material.	
SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
	Ensure adequate ventilation of the working area.	
8.1.1. Exposure Limit Values		

Revision 0 Revision date 2018-06-01

8.1.1. Exposure Limit Values

Calcium sulfate (Plaster of Paris)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total 10 inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total 4 respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
Quartz	WEL 8-hr limit ppm:	WEL 8-hr limit mg/m3: 0.3
	WEL 15 min limit ppm:	WEL 15 min limit mg/m3:
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:

8.2. Exposure controls



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Revision 0 Revision date 2018-06-01

9.1. Information on basic physical and chemical properties

Appearance	Powder
Colour	Off white
Odour	Slight
pH	6 - 8
Relative density	2.5 (H2O = 1 @ 20 °C)
Viscosity	No data available
Oxidising properties	Not applicable.
Fat Solubility	Not applicable.
Partition coefficient	Not applicable.
Autoignition temperature	Not applicable.
Melting point	Not applicable.
Freezing Point	Not applicable.
Initial boiling point	Not applicable.
Flash point	Not applicable.
Evaporation rate	Not applicable.
Flammability (solid, gas)	Not applicable.
Vapour pressure	Not applicable.
Vapour density	Not applicable.
Solubility	Slightly soluble in water

9.2. Other information

0 1 4 4	N. 1.6 9.11
· ·	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	Not applicable.
Lead content	Not applicable.
VOC (Volatile organic	
compounds)	

SECTION 10: Stability and reactivity

10.1. Reactivity

	Not applicable.		
10.2. Chemical stability	10.2. Chemical stability		
	Stable under normal conditions.		
10.3. Possibility of hazardous reactions			
	No Significant Hazard.		
10.4. Conditions to avoid			
	No Significant Hazard.		
10.5. Incompatible materials			
	No Significant Hazard.		
10.6. Hazardous decomposition products			

Hazardous Decomposition Products (silica): Crystalline silica will dissolve in hydrofluoric acid and produce silicone tetrafluoride. Reaction with water or acids generates heat.

SECTION 11: Toxicological information

Revision 0 Revision date 2018-06-01

11.1. Information on toxicological effects

11.1. Information on toxicologica	al ellects
Acute toxicity	Not applicable. Based on available data, the classification criteria are not met.
Skin corrosion/irritation	Not applicable. Based on available data, the classification criteria are not met.
Serious eye damage/irritation	Not applicable. Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation	Not applicable. Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Not applicable. Based on available data, the classification criteria are not met.
Carcinogenicity	Not applicable. Based on available data, the classification criteria are not met.
Reproductive toxicity	May cause harm to the unborn child.
	May impair fertility.
STOT-single exposure	Not applicable. Based on available data, the classification criteria are not met.
STOT-repeated exposure	Chronic effects Prolonged inhalation of respirable crystalline silica In 1997, the International Agency for Research on Cancer (IARC) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However it pointed out that not all industrial circumstances, nor all crystalline silica types, were to be incriminated. (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibers, 1997, Vol. 68, IARC, Lyon, France). In June 2003, the European Commission's Scientific Committee for Occupational Exposure Limits (SCOEL) concluded: "that the main effect in humans of the inhalation of respirable crystalline silica is silicosis. There is sufficient information to conclude that the relative lung cancer risk is increased in persons with silicosis (and apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk. Since a clear threshold for silicosis development cannot be identified, any reduction of exposure will reduce the risk of silicosis."
	(SCOEL SUM Doc 94-final on respirable crystalline silica, June 2003) There is a body of evidence supporting the fact that increased cancer risk would be limited to people already suffering from silicosis. Worker protection against silicosis should be assured by respecting the existing regulatory occupational exposure limits and implementing additional risk management measures where required (see Section 16).
Aspiration hazard	Not applicable. Based on available data, the classification criteria are not met.
Repeated or prolonged	Inhalation of dust may cause shortness of breath.
exposure	
11.1.4. Toxicological Information	1
Solitaire investment	Oral Mouse LD50: >5000 mg/kg
050510N 40 5 1 1 1 1 1	4
SECTION 12: Ecological info	ormation
12.1. Toxicity	

12.1. Toxicity

Solitaire investment	Fish LC50/96h: 10000.000 mg/l

12.2. Persistence and degradability

Not applicable.

12.3. Bioaccumulative potential

Does not bioaccumulate.

Revision 0 Revision date 2018-06-01

Partition coefficient	
	Solitaire investment Not applicable.
12.4. Mobility in soil	
. <u></u>	Not determined.
12.5. Results of PBT and vPvB assessment	
	Not determined.
12.6. Other adverse effects	
	Not applicable.
SECTION 13: Disposal con-	siderations
13.1. Waste treatment methods	
	Dispose of in compliance with all. local and national regulations.
Disposal methods	· · · · · · · · · · · · · · · · · · ·
	Contact a licensed waste disposal company.
Disposal of packaging	
	Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.
Further information	
	For disposal within the EC, the appropriate code according to the European Waste Catalogue
	(EWC) should be used.
SECTION 14: Transport information	
14.1. UN number	·
	The product is not classified as dangerous for carriage.
14.2. UN proper shipping name	
	The product is not classified as dangerous for carriage.
14.3. Transport hazard class(es	s)
	The product is not classified as dangerous for carriage.
14.4. Packing group	
	The product is not classified as dangerous for carriage.
14.5. Environmental hazards	
	The product is not classified as dangerous for carriage.
14.6. Special precautions for us	
	The product is not classified as dangerous for carriage.
14.7. I ransport in bulk according	ng to Annex II of MARPOL 73/78 and the IBC Code
Fruith on information	The product is not classified as dangerous for carriage.
Further information	The product is not elegatified as departure for consists
	The product is not classified as dangerous for carriage.
SECTION 15: Regulatory information	
-	nmental regulations/legislation specific for the substance or mixture
Regulations	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No

Revision 0 Revision date 2018-06-01

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No data is available on this product.

SECTION 16: Other information

Other information

Training

Workers must be informed of the presence of crystalline silica and trained in the proper use and handling of this product as required under applicable regulations.

Social Dialogue on Respirable Crystalline Silica

A multi-sectoral social dialogue agreement on Workers Health Protection through the Good Handling and Use of Crystalline Silica and Products Containing it was signed on 25 April 2006. This autonomous agreement, which receives the European Commission's financial support, is based on a Good Practices Guide. The requirements of the Agreement came into force on 25 October 2006. The Agreement was published in the Official Journal of the European Union (2006/C 279/02). The text of the Agreement and its annexes, including the Good Practices Guide, are available from http://www.nepsi.eu and provide useful information and guidance for the handling of products containing respirable crystalline silica. Literature references are available on request from EUROSIL, the European Association of Industrial Silica Producers,.

STOT RE1: H372 - DANGER - Causes damage to lungs through prolonged or repeated exposure by inhalation.

Text of Hazard Statements in Section 3

STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure . Repr. 1B: H360FD - May damage fertility. May damage the unborn child.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.