

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/7

780 investment with fiberglass [EU]

Revision 1
Revision date 2018-04-25

1.1. Product identifier

Product name 780 investment with fiberglass [EU]
Product code 780 investment with fg 042518 C212

1.2. Relevant identified uses of the substance or mixture and uses advised against

Description Foundry material.

1.3. Details of the supplier of the safety data sheet

Company Ransom & Randolph

Address 3535 Briarfield Boulevard, PO Box 1570

Maumee, Ohio 43537 USA

Web www.ransom-randolph.com

 Telephone
 +1 (419) 865-9497

 Fax
 +1 (419) 865-9997

 Email
 RR.SDS@dentsply.com

Email address of the competent person

RR.SDS@dentsply.com

1.4. Emergency telephone number

Emergency telephone number

Company

USA +1 419 865 9497 Ransom & Randolph Co.

07:30 to 16:30 (Eastern Std. / GMT minus 5)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008

STOT RE 1: H372;

2.2. Label elements

Hazard pictograms



Signal Word

Hazard Statement

STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure .

Precautionary Statement:

P264 - Wash (hands) thoroughly after handling.

Prevention

P270 - Do no eat, drink or smoke when using this product.

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

Revision **Revision date** 2018-04-25

2.2. Label elements

_			
Precautionary Statement:	P314 - Get medical advice/attention if you feel unwell.		
Response			
Precautionary Statement:	P501 - Dispose of contents/container to respirable crystalline silica (RCS)		
Disposal			
2.3. Other hazards			
Other hazards	Product contains respirable crystalline silica (RCS).		

Other hazards	Product contains respirable crystalline silica (RCS).
	Not applicable. PBT and vPvB assessment.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Silica (cristobalite)		14464-46-1	238-455-4		20 - 30%	STOT RE 1: H372;
phosphate binder (proprietary)					1 - 10%	Skin Irrit. 2: H315; Eye Irrit. 2: H319;
Quartz		14808-60-7	238-878-4		60 - 70%	STOT RE 1: H372;
phosphate binder 2 (proprietary)					1 - 10%	Skin Irrit. 2: H315; Eye Irrit. 2: H319;

Further information

Full text for all Risk Phrases mentioned in this section are displayed in Section 16. Quartz "fine fraction" >= 10 % w/w / CAS 14808-60-7, EC No 238-878-4 / STOT RE1: H372. Silica (Cristobalite) "fine fraction" >= 10 % w/w / CAS 14464-46-1, EC No 238-455-4 / STOT RE1: H372.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.	
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.	
Skin contact	Wash with soap and water.	
Ingestion	Drink 1 to 2 glasses of water. DO NOT INDUCE VOMITING.	

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system.	
Eye contact	May cause irritation to eyes.	
Skin contact	May cause irritation to skin.	
Ingestion	May cause irritation to mucous membranes.	

4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Seek medical attention if irritation or symptoms persist.	
Eye contact	Seek medical attention if irritation or symptoms persist.	
Skin contact	Seek medical attention if irritation or symptoms persist.	
Ingestion	Seek medical attention if irritation or symptoms persist.	

Revision 1 Revision date 2018-04-25

SECTION 5: Firefighting measures				
5.1. Extinguishing media				
	Use extinguishing media appropriat	e to the surrounding fire conditions.		
5.2. Special hazards arising from the substance or mixture				
	Burning produces irritating, toxic and	d obnoxious fumes.		
5.3. Advice for firefighters				
	Self-contained breathing apparatus.	Wear suitable protective clothing.		
SECTION 6: Accidental relea	ase measures			
6.1. Personal precautions, prote	ctive equipment and emergency proce	edures		
	Avoid formation of dust. Wear suital	ble respiratory equipment when necessary.		
6.2. Environmental precautions				
	No environmental requirements.			
6.3. Methods and material for co	ontainment and cleaning up			
	Avoid raising dust. Clean the area u	sing a vacuum cleaner. Transfer to suitable, labelled container.		
6.4. Reference to other sections				
	See section [2, 8 & 13] for further information.			
SECTION 7: Handling and s	torage			
7.1. Precautions for safe handling				
	•	Ensure adequate ventilation of the working area. Avoid formation of dust. In case of insufficient ventilation, wear suitable respiratory equipment.		
	ventuation, wear suitable respiratory equipment.			
	Do not eat, drink or smoke in areas handling the product.	where this product is used or stored. Wash hands after		
7.2. Conditions for safe storage, including any incompatibilities				
	Keep containers tightly closed.			
7.3. Specific end use(s)				
	Foundry material.			
SECTION 8: Exposure contr	ols/personal protection			
8.1. Control parameters				
	Ensure adequate ventilation of the v	vorking area.		
8.1.1. Exposure Limit Values				
Quartz	WEL 8-hr limit ppm:	WEL 8-hr limit mg/m3: 0.3		
	WEL 15 min limit ppm:	WEL 15 min limit mg/m3:		
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:		
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -		
	respirable dust:	respirable dust:		
8.2. Exposure controls				

Revision 1 Revision date 2018-04-25

8.2. Exposure controls

8.2.2. Individual protection	Wear protective clothing.
measures	
Eye / face protection	In case of splashing, wear:. Approved safety goggles. safety glasses with side-shields.
Skin protection -	Wear suitable gloves.
Handprotection	
Respiratory protection	Suitable respiratory equipment.
8.2.3. Environmental exposure	Not normally required.
controls	
Occupational exposure	Appropriate local exhaust ventilation is required.
controls	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Powder
Colour	Off white
Odour	Slight
Odour threshold	Not applicable.
pH	6 - 8
Melting point	No data available
Freezing Point	Not relevant
Initial boiling point	Not applicable.
Flash point	Not applicable.
Evaporation rate	Not applicable.
Flammability (solid, gas)	Not applicable.
Vapour pressure	Not applicable.
Vapour density	Not applicable.
Relative density	2.6
Fat Solubility	Not applicable.
Partition coefficient	No data available
Autoignition temperature	Not applicable.
Viscosity	No data available
Explosive properties	Not applicable.
Oxidising properties	Not applicable.

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	Not applicable.
Benzene Content	Not applicable.
Lead content	Not applicable.
VOC (Volatile organic	Not applicable.
compounds)	

SECTION 10: Stability and reactivity

10.1. Reactivity

	Not applicable.
10.2. Chemical stability	

Revision 1
Revision date 2018-04-25

10.2. Chemical stability		
	Stable under normal conditions.	
10.3. Possibility of hazardous reactions		
	No Significant Hazard.	
10.4. Conditions to avoid		
	No Significant Hazard.	
10.5. Incompatible materials		
	No Significant Hazard.	
10.6. Hazardous decomposition products		
	Hazardous Decomposition Products (silica): Crystalline silica will dissolve in hydrofluoric acid and produce silicone tetrafluoride. Reaction with water or acids generates heat.	

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	Not applicable. Based on available data, the classification criteria are not met.
Skin corrosion/irritation	Not applicable. Based on available data, the classification criteria are not met.
Serious eye damage/irritation	Not applicable. Based on available data, the classification criteria are not met.
Respiratory or skin	Not applicable. Based on available data, the classification criteria are not met.
sensitisation	
Germ cell mutagenicity	Not applicable. Based on available data, the classification criteria are not met.
Carcinogenicity	Not applicable. Based on available data, the classification criteria are not met.
Reproductive toxicity	Not applicable. Based on available data, the classification criteria are not met.
STOT-single exposure	Not applicable. Based on available data, the classification criteria are not met.
STOT-repeated exposure	Chronic effects
	Prolonged inhalation of respirable crystalline silica
	In 1997, the International Agency for Research on Cancer (IARC) concluded that crystalline silica
	inhaled from occupational sources can cause lung cancer in humans. However it pointed out that
	not all industrial circumstances, nor all crystalline silica types, were to be incriminated. (IARC
	1 a a. a a. a a a a a a a a a a a a

inhaled from occupational sources can cause lung cancer in humans. However it pointed out that not all industrial circumstances, nor all crystalline silica types, were to be incriminated. (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibers, 1997, Vol. 68, IARC, Lyon, France). In June 2003, the European Commission's Scientific Committee for Occupational Exposure Limits (SCOEL) concluded:

"that the main effect in humans of the inhalation of respirable crystalline silica is silicosis. There is sufficient information to conclude that the relative lung cancer risk is increased in persons with silicosis (and apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk. Since a clear threshold for silicosis development cannot be identified, any reduction of exposure will reduce the risk of silicosis."

(SCOEL SUM Doc 94-final on respirable crystalline silica, June 2003)

There is a body of evidence supporting the fact that increased cancer risk would be limited to people already suffering from silicosis. Worker protection against silicosis should be assured by respecting the existing regulatory occupational exposure limits and implementing additional risk management measures where required (see Section 16).

Aspiration hazard Repeated or prolonged exposure Not applicable. Based on available data, the classification criteria are not met.

Inhalation of dust may cause shortness of breath.

Revision 1 Revision date 2018-04-25

SECTION 12: Ecological information				
12.2. Persistence and degradability				
	ot applicable.			
12.3. Bioaccumulative potential	- приножения			
Dioaddainaida y potoriada				
Do	oes not bioaccumulate.			
Partition coefficient				
	780 investment with fiberglass No data available			
	[EU]			
12.4. Mobility in soil				
-	ot determined.			
12.5. Results of PBT and vPvB asse				
No	ot determined.			
12.6. Other adverse effects				
	ot applicable.			
SECTION 13: Disposal considerations 13.1. Waste treatment methods				
	ispose of in compliance with all. local and national regulations.			
Disposal methods	194036 OF IT COMPRIANCE WITH AIL TOCAL AND HALIOHAL TEGULATIONS.			
•	ontact a licensed waste disposal company.			
Disposal of packaging	ontaot a nooned waste disposal company.			
	o NOT reuse empty containers. Empty containers can be sent for disposal or recycling.			
	o no i reade empty containers. Empty containers can be sent for disposal or recycling.			
	or disposal within the EC, the appropriate code according to the European Waste Catalogue			
SECTION 14: Transport informa	ation			
·				
	he product is not classified as dangerous for carriage.			
-				
_				
Au	uthorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency,			
DI	EGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL			
	hemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC			
Further information For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used. SECTION 14: Transport information The product is not classified as dangerous for carriage. SECTION 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Regulations COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agenc amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of				

Revision 1
Revision date 2018-04-25

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No data is available on this product.

SECTION 16: Other information

Other information

Training

Workers must be informed of the presence of crystalline silica and trained in the proper use and handling of this product as required under applicable regulations.

Social Dialogue on Respirable Crystalline Silica

A multi-sectoral social dialogue agreement on Workers Health Protection through the Good Handling and Use of Crystalline Silica and Products Containing it was signed on 25 April 2006. This autonomous agreement, which receives the European Commission's financial support, is based on a Good Practices Guide. The requirements of the Agreement came into force on 25 October 2006. The Agreement was published in the Official Journal of the European Union (2006/C 279/02). The text of the Agreement and its annexes, including the Good Practices Guide, are available from http://www.nepsi.eu and provide useful information and guidance for the handling of products containing respirable crystalline silica. Literature references are available on request from EUROSIL, the European Association of Industrial Silica Producers,.

STOT RE1: H372 - DANGER - Causes damage to lungs through prolonged or repeated exposure by inhalation.

Revision

This document differs from the previous version in the following areas:.

2 - 2.1. Classification of the substance or mixture.

15 - Labelling.

15 - Hazard Statement.

Text of Hazard Statements in Section 3

STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure .

Skin Irrit. 2: H315 - Causes skin irritation.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.